

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Eric Compton on 10 May 2007.

The application has been amended as follows:

Claims 60-102 are directed to an invention non-elected with traverse in the reply filed on 16 January 2007. The examiner hereby cancels claims 60-102 in this examiner's amendment as was authorized by the applicant's attorney on 10 May 2007.

SMC 6/4/07 Also, in claim 45 line ⁹8 (top of page 10 of the response of 4/27/07) "a primary region at of a shower plate assembly" should read --a primary region of a shower plate assembly--.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kelly Stouffer whose telephone number is (571) 272-2668. The examiner can normally be reached on Monday - Thursday 7:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on (571) 272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.